



**KARMA**  
EXPORTS

50, Maddox Street, Near Veterinary College,  
Vepery, Chennai - 600 007, South India.

Email : [info@karmaexports.in](mailto:info@karmaexports.in)

Tel : +91 44 2661 0819

+91 97908 40995, +91 7708370525

Web : [www.karmaexports.in](http://www.karmaexports.in)


• **Surface Protection Tapes**

Are engineered to protect even the toughest and hardest surfaces from Scratches, Chemical and UV damage. Depending on type of surface, application and requirements, the Surface Protection Tapes are designed to withstand the effects of the above parameters. At Mexim, we cover a wide variety of surfaces and applications, and provide solutions for all the above parameters.

• **General Purpose**

Usable on multiple types of surfaces such as Metal, Laminates, Glass, Ceramics and Plastics, these tapes are general Purpose protection tapes. Easy to use and Easy to remove, these Tapes protect the surfaces from scratches, dust and other contaminants.


**30µm to 125µm**  
**Width - 24mm to 1250mm**  
**Colour - Transparent**  
**Lengths - 30mtrs to 2000mtrs**



• **Glass Protection**

Protection of Glass surfaces from the effects of scratches and dust is very important as from being finished in a factory to the point of final application, there is a lot of processing and transit a glass sheet goes through. During this transit, it is of utmost importance that the glass surface be protected from scratches as a simple scratch may destroy the aesthetics of a glass unit.

**Thickness - 30 and 40 mic**  
**Widths - 24mm to 1250mm**  
**Colours - Transparent, Opaque White Blue Translucent and Yellow Translucent.**



• **Aluminum/PVDF/Powder Coated Surface Protection Tape**

Surfaces of that of Aluminum, PVDF Coated and Powder Coated Metals are very reactive. They are difficult to adhere to, and also react with common latex based adhesives and acrylic emulsions. We have formulated our own acrylic emulsion, which is stable and does not react with the surface, and provides the ultimate protection from Mechanical and Chemical Stresses. Our SPT forms a strong bond with the above tricky surfaces, and upon completion of job is easily and cleanly removable. Depending on whether the Application is indoor or outdoor, the Substrate and Adhesive need to be modified accordingly.

**Width: 36mm to 1220mm**  
**Length: 50 meters to 200 meters**


**Thickness: 30µm to 125µm**  
**Colour: Black & White (White Outer Surface, Black Inner surface) and Opaque white**



• **Steel Surface Protection Tape**

Colour Coated Steels, depending upto the gloss or surface roughness, require a different type of Protection Film depending upon application. We make special grades of Surface Protection Tapes with Gloss ranging from 20% upto 95%. We also make a separate grade of surface protection tape with High Peel which can withstand the effects of machining, cutting, bending, polishing, etc.

**Thickness : 30µm to 125µm**  
**Width - 24mm to 1220mm**  
**Colour - Transparent, Opaque White, Blue Translucent, Yellow Translucent.**  
**Length : 100mtrs. Custom Printing : Available upto 2 Colour**



**• Laminate Protection Tapes**

Protection of Veneer/Ply/Laminates from the elements is the basic application of these tapes. Veneer and Ply are subjected to a lot of processing and transit, during which the surface must be protected from scratches and damages.

**Thickness: 30µm to 70µm**

**Width: 48mm to 1250mm**

**Length: 50mtrs to 1000mtrs**

**Colours: Clear and Opaque White**

**Custom Printing: Available upto 2 Colours**

**• Floor Guard**

During Construction or interior works, there is an important need to protect the flooring from the construction environment. Mexim Floor Guard sticks to all surfaces such as Marble, Ceramics, Wood, etc. and provides protection from mechanical damage, chemical resistance and most importantly resistance from scratches.

**Width: 610mm and 1220mm**

**Length: 30mtrs to 100mtrs**

**Thickness: 60µm to 125µm**

**Colour: Transparent**

**Custom Printing: Available upto 2 Colours**

**• Low Peel Protection Tape**

is a very special application surface protection tape, developed for special Aluminum surfaces. These tapes are used on coated surfaces where the tape is applied with a very high pressure (~35 tons) to adhere to the surface easily, and then come off also very easily. Due to the pressure applied on this tape, the adhesive applied on such tapes makes the adhesive unstable, but we have formulated our own adhesive to make it stable and give optimal performance.

**Thickness: 30µm to 70µm**

**Width: 24mm to 1220mm**

**Colours: Transparent Black and White (for UV protection) Opaque White, Blue and Yellow Translucent**

**Length: 100mtrs**

**Custom Printing: Available upto 2 Colours**

**• Carpet Protection Tape**

Today in modern cinemas, recording studios, and other commercial establishments carpets are installed on the floors, walls and ceilings to make the room sound proof and/or for aesthetics of the room. Protection of these carpets during construction or any maintenance work is a gruesome task, and if these carpets get dirty, it's a very difficult job to clean them. For this specific purpose, we have developed Carpet Protection Tape, which sticks on the carpet easily, and comes off equally easily when pulled off. Special care has been taken to ensure that the carpet fabric threads do not come off when pulling the tape.

**Thickness: 30µm to 70µm**

**Width: 48mm to 1220mm**

**Lengths: 50mtr and 100mtr rolls**

**Colour: Transparent**

**Custom Printing : Available upto 2 Colours**

- **BOPP Series**

The most widely used packaging tape.

They can be used on a host of substances such as Paper, Plastics and Metals amongst the most common applications. BOPP offers both - great strength and flexibility, and shows great chemical resistance and anti-ageing properties, and at the same time can be made to adhere well to acrylic adhesives. Butyl-Acrylate Monomer based adhesives offer great Visco-Elastic behavior, adhering to most substances upon application of little pressure.



- **Packaging Tapes**

They are very stable for long term application, have good adhesion and are resistant to ageing and UV.

**Available in various thicknesses ranging from 36µm - 70µm.**

**Available Colours - Transparent, Brown, White, Red, Yellow, Green, Blue, Black, Pink, Violet, Orange and special colours on demand.**

**Available Jumbo Rolls - 144mm upto 1315mm wide and 500mtrs - 4500mtrs.**

**Core ID's: 25mm, 50mm and 76mm**



- **Printed BOPP Tapes**

Mexim is India's largest manufacturer of printed tapes with over 10000 satisfied customers. Used all over industry for various purposes such as marketing, identification, security, information and others.

**Printing facility - upto 6 colours.**



- **High Shear Tapes**

This product is one of our most special members of the BOPP Tape series, wherein we offer a technical and economical edge over the market. High Shear Tape- Depending on the type of Top Paper used, the dimensions and weight of the Box, these tapes hold good until torn apart. Available in all widths greater than 36mm, these are available in all sizes as our regular BOPP Tapes. These tapes can be used on boxes with high bursting factor, where these tapes hold good until torn apart. Depending on type of Top Paper, Dimensions, Coating/Finishing, Die-Punch and Gross Weight of a box, these tapes have to be carefully selected, to offer a technical and economical edge to your packaging. **Available with custom printing and in all sizes and widths above 36mm as out BOPP Tapes.**

- **Machine Rolls (for Auto-Taping Machines)**

**Available upto 1500mtrs**, these tapes are specially engineered to leave no residue on the taping machine rollers.



- **Low Noise Tape**

Low noise tapes are useful in industrial environments where the noise caused due to unwinding of a tape causes nuisance.

**Available Sizes - 76mm Core ID - 48mm, 60mm and 72mm**



**• No Noise Tape**

These tapes have been developed such that there is No-Noise during the unwinding of a Tape Roll. These are used in quiet environments to help maintain ambient Noise Levels.

**Available Sizes – 76mm Core ID – 36mm, 48mm, 60mm and 72mm**

**• Water Repellent Tapes – (Sheathing Tape)**

Made from highly specialized grade of Acrylic Adhesive. Adhesion failure does not happen when exposed to high levels of moisture or humidity. The same tape is also very effective in Cold Temperatures, and can be used in Cold Countries or in Refrigerated environments.

**Available Sizes: 76mm Core ID – 24mm to 96mm**

**• Easy Tear Tapes**

Available in 25mm core ID and 76mm core ID. We have also developed a clean room facility or handling, storage and packing of these tapes.

**Commonly Available Sizes – 25mm Core ID – 12mm, 18mm and 24mm  
76mm Core ID – 12mm, 18mm, 24mm and 36mm.**

**• Super Clear Tapes**

These tapes have been manufactured using special grades of BOPP and Adhesives that make a roll of tape completely clear – upto the core of the tape. Such tapes are generally found in Stationery set-ups and promise to catch one's eye.

**Available Sizes – 25mm Core ID – 12mm,  
18mm and 24mm 76mm Core ID – 48mm**

**• Holographic Tapes**

Tapes that are used in Arts and Crafts purposes. They possess high reflectivity of light and come in 7 standard colours – Silver, Yellow (Golden), Red, Green, Blue, Pink and White.

Can be made with custom Holographic designs as per requirement on BOPP and Polyester

**Jumbo Commonly Available Sizes – 25mm Core ID – 12mm, 18mm and 24mm**

**76mm Core ID – 12mm, 18mm, 24mm and 36mm**

**Jumbo Rolls Width - 144mm upto 980mm.**

**• Invisible Tape**

This type of tape is generally used in Home and Office, for simple Paper mending. Special feature of this tape is that once applied on paper, it becomes invisible, or simple becomes less visible to the eye. It's top surface is modified to match with the roughness of paper. It is also used to protect signatures on important documents or repair torn currency notes.

**Commonly Available Size – 25mm Core ID – 18mm**



- **Marketing Tapes**

The design capabilities and construction of these tapes make them very visible, something very elementary in marketing. These are also referred to as 'Shelf Strip' Tapes. We currently offer these tapes in two configurations.

**Printed Tape with Pearlised Backing**

**Printed Tape with Metallizing (Gold and Silver)**



- **Non-Adhesive Tape**

These are banding tapes with no adhesion, used for tying up bundles of soft fabrics. These are available in transparent form as well as colored bands and even printed bands.

**Commonly available Size - 76mm Core ID - 12mm, 18mm, 24mm, 36mm and 48mm**



- **Metallized BOPP Tapes**

This is a grade on which a BOPP Film is metallized using Aluminum, and then coated with a special adhesive. They are also designed to join Aluminum Pipes in Refrigeration and Ventilation; and also for decorative and Aesthetic Purposes.

**Commonly Available Size - 25mm Core ID - 12mm, 18mm and 24mm**

**76mm Core ID - 12mm, 18mm, 24mm, 36mm, 48mm, 60mm and 72mm**



- **Foam Tapes**

Foam Tapes were initially developed for Protective Packaging and Sealing voids. They were later developed for Mounting applications, and with further development in Release Liners, more and more products have become increasingly possible to manufacture.



- **Gasket Tape**

Used commonly in sealing Industrial Electrical Panels, Compartments with applications even in Bus and Truck Body, these Tapes most commonly use EVA Foam as the substrate and are coated with an Acrylic Adhesive. Commonly Available in Black Colour. Available thickness - 3mm, 4mm, 5mm, 6mm, 8mm and 10mm.

**Widths: 10mm, 12mm, 15mm, 18mm, 20mm, 25mm, 30mm, 35mm, 40mm, 45mm and 50mm.**

**Jumbo Rolls size -1200mm X 100mtrs / 1200mm X 50mtrs.**



- **Double Side Mounting Tape**

Used for Home, Office, Stationery and Industrial Applications, we have developed Mounting Tapes using White EVA foam, available in 1mm and 2mm thickness. We have a wide range of configurations in this Tape, wherein we can guarantee 0.5kg/sq.in, 1kg/sq.in, 1.5kg/sq.in and 2kg/sq.in load bearing capacities of the tape.

**Widths: 6mm to 50mm**

**Lengths: 0.5mtr to 10mtr**

**Core Size: 25mm and 76mm**

**Jumbo Rolls: 1200mm X100mtr**



- **Edge Protection Tape**

Used in protective packaging and sealing voids in packaging, generally used on fragile / expensive products during packaging. EPT also finds applications in Home and Play-School environments; this tape is wound on and around sharp glass and furniture edges, to protect children from injury.

**Thickness: 1mm and 2mm**

**Width: 6mm to 96mm**



- **Eva Foam Insulation Tape**

These grade of EVA foam tapes can be used in Light Duty Electrical and Light Duty Heat insulations. Available in Thicknesses 1mm, 2mm and 3mm, these tapes are coated with a fairly temperature resistant Adhesive with service temperature between -10 °C to 70 °C

- **Masking Tape**

Masking Tape, developed in 1925 by 3M employee and scientist Richard Drew, is one of the best accidental inventions made in the tape industry. As the name suggests, Masking Tape is used for 'Masking' surfaces from the manufacturing, painting or other jobs going on. The main criterions for selecting Masking Tapes are Clean Removeability and Good Holding Power. Depending on these factors, we have 3 different grades of Masking Tapes to suit different types of applications

- **Furniture Grade MSK6143**

Versatile masking tape, with natural rubber based adhesive. It has high adhesion, holding power and is removable without residue or breaking. Used in Masking during Painting and is suitable for Furniture Grade.

**Sizes: 12mm, 18mm, 24mm, 36mm, 48mm, 60mm, 72mm and Custom Widths available.**  
**Jumbo Roll - 1660mm X 2000mtr**



- **General Purpose Masking Tape C6035**

Suitable for any type of paint job for application in construction, work-sites, industrial contexts and body works within temperature range of -10 °C to 60 °C. Our Unique Water-Based Acrylic Adhesive formula enables this Masking tape to have excellent UV resistance as compared to Rubber Based Masking Tapes.

**Sizes: 12mm, 18mm, 24mm, 36mm, 48mm, 60mm, 72mm and Custom Widths available.**  
**Jumbo Roll: 1200mm X 2000mtr**



- **Room Temperature Paint Grade Lv6025**

Entry Level Masking Tape with a reliable quality. Economical and Practical Paper with Strip Adhesive Coating, applicable in most Paint Jobs during interior painting, within temperature range of -10 °C to 60 °C.

**Sizes: 12mm, 18mm, 24mm, 36mm, 48mm, 60mm, 72mm and Custom Widths available.**  
**Jumbo Roll: 1200mm X 2000mtr**





- **Paper Based Tapes:**

Paper based tapes are one of the oldest forms of commercially successful Adhesive Tapes.

Today, there are a wide variety of Paper Tapes and Labels easily available. Paper Tapes cover a wide spectrum of applications and some even offer an eco-friendly packaging or splicing solution.

- **Self Adhesive Paper Tapes**

We currently offer 4 types of Base papers – being White CCK, Havana, Yellow Glassine and Brown Kraft Paper.

**Sizes: 24mm, 36mm, 48mm, 60mm, 72mm and 96mm.**

**We even supply jumbo rolls of this product in Maximum width upto 1220mm.**



- **Double Side Tissue Tape (Hot Melt Adhesive)**

Double Side Tissue Tapes are mostly used during splicing operations, lightweight mounting operations or other double side applications. Hot Melt Adhesives have a high tack and Tissue Tapes made from Hot Melt adhesives provide good results at Medium to high speed splicing.

**Available in sizes from 3mm to 48mm**



- **Double Side Tissue tape (Solvent Based Adhesive)**


Double Side Tissue Tapes are mostly used during splicing operations, lightweight mounting operations or other double side applications. Solvent Based Adhesives have High Tack and High Peel properties, and are specially used in High Speed splicing.

**Available in sizes from 3mm to 48mm.**



- **Cold Lamination Film**

Cold-Lamination Film is a very modern form of Lamination Films. This film consists of a BOPP Film layer coated with a clear and thin layer of adhesive.



- **Cold-Lam Film**

BOPP film coated with a layer of Clear adhesive, used for lamination of printed papers. Indigenously developed to adhere to multiple types papers, these films provide protection from water and other contaminants. These films also add strength to the boxes along with adding a glossy finishing on the box.

Main uses are for highspeed online lamination on web-presses.

**Width: 12mm to 1024mm**

**Length: 1000mtr**

**Thickness: 33 mic**

**Top Finish: Glossy**



- **Air Ventilation Tape**

Used during Foam Forming in Sandwich Panels of Metals, Composites and Plastics. These tapes, when applied on air-vents of a panel under which PU, PIR, etc. are being formed, allow the hot air to pass through, and providing a barrier to the foam liquid and solid.

Also used in refrigeration industry during foam filling process.

**Width : 12 mm to 300 mm**

**Length : 33 mtr and 100 mtr**

- **Reinforced Tapes**

Used for Heavy Duty Applications – these tapes are virtually unbreakable. Engineered for various applications, these tapes have high-strength backings that can be used in Packaging and Bundling of the heaviest substances.

- **Woven HDPE fabric Tape**

High Tensile cross weave HDPE fabric, applicable in packaging/bundling of steel coils, packing HDPE sacks and many more. These tapes adhere well to most surfaces and offer excellent strength to the packaging.

**Widths : 24mm to 96mm**

**Length : 20mtrs to 50 mtrs**

**Jumbo Roll : 1200mm X 1000mtrs**



- **Mono Filament**

High-Tensile mono-directional reinforced tapes suitable for bundling and carton reinforcement, even used to bundle metal plates or bars. BOPP film backed with fibers and coated with a synthetic acrylic adhesive, these tapes have high adhesion in most situations, excellent resistance to break and high safety in application.

**Widths : 24mm to 72mm**

**Length : 20mtrs to 50 mtrs**

**Jumbo Roll : 1020mm X 1000mtrs**



- **Cross Filament**

High-Tensile cross weave reinforced tapes suitable for bundling, carton reinforcement and pallet bundling.

**Widths : 24mm to 72mm**

**Length : 20mtrs to 50 mtrs**

**Jumbo Roll : 1020mm X 1000mtrs**



- **Courier Bags**

Simple to use and offering security against tampering, we offer a wide range in terms of size of plain and printed courier bags.



- **Self Adhesive Envelops**

Self-Adhesive Envelopes, versatile and easy-to-use, these envelopes can be easily stuck to any carton / pouch / box. These pouches are available in plain or in printed form, available in a

**Standard size of 110mm X 250mm or custom made sizes.**



● **Tape Dispensers**

● **Hand Dispenser**

For Industrial use

**Width : 48mm and 72mm – 76mm Core ID**



● **Mini Desktop Dispenser**

For Home and Office use

**25mm Core ID - Width : 12mm and 18mm**

**4 Different Models : MDIS2501, MDIS2502, MDIS2503 and MDIS2504**



MDIS 2501



MDIS 2502



MDIS 2503



MDIS 2504

- **Stationery Products**

After great success in Stationery Tapes, we have also forayed into multiple plastic stationery products such as Adhesives, Pens and Pencil Boxes.

- **Smart Bond - White Adhesive**

Safe, non-toxic white glue is perfect for all school and craft projects. Offers a strong hold, dries fast and clear, plus it's washable. Great for home, school, and office use.

**Packaging - 25 gms and 100 gms.**



- **Smart Write - Ball Pens**

Standard ball-point stick-pens are perfect for office, classroom, and home use. Smooth, bold ink flow allows the pen to move with ease and consistency. We currently offer 3 models of Ball Pens, all use and throw pens.



- **Pencil Box**

A lightweight and super-strong pencil case designed for simplicity and longevity. We offer it in 6 translucent colours.



- **Quality Policy**

We believe in working with materials with high quality only. Our aim is to provide only a quality/lasting product. We have lasted and survived the test of time and we owe it only to our Quality and Ethics. Therefore, we have over the years defined our own quality paradigm, which allows us to follow stringent quality measures to guarantee product performance across our range.

- **Quality Control**

- We follow strict measures when it comes to our Quality Policy.
- We have set strict standards for Inward QC wherein we firstly have thorough procedures for developing vendors and setting up quality standards for new products.
- Apart from this, we conduct online QC tests during the production of any material, which ensures speedy and accurate production.
- Finally, we test every product coming out of our production line at our QC Lab where we have the following facilities: Shear Testing, Tensile Testing, Adhesion Peel Testing, Rolling Ball Tack, Thickness testing, Surface Energy Testing, Length & Width checking machine, Weighing Machine, Oven and a host of Chemical Testing facilities.



**KARMA**  
EXPORTS

50, Maddox Street, Near Veterinary College,  
Vepery, Chennai - 600 007, South India.

Email : [info@karmaexports.in](mailto:info@karmaexports.in)

Tel : +91 44 2661 0819

+91 97908 40995, +91 7708370525

Web : [www.karmaexports.in](http://www.karmaexports.in)

