



SWITCH TO A BETTER WORLD



Delivering
good
air

CATALOG
APRIL
2021

www.gmmodular.com


Crave for More...

KARMA
EXPORTS

Crave for more

EMBASSY
CEILING FAN

ODYSSEY
PREMIER



*...to satisfy the
art connoisseur
in you.*



'Feel'
what
can't
be
seen!

C O N T E N T S

	CEILING FANS	01
	VENTILATION & EXHAUST FANS	27
	PEDESTAL FANS	37
	WALL FANS	49
	TABLE FANS	52
	PERSONAL FANS	55



GM THE BRAND I TRUST

Being an integral part of **GM** I can assure you its high standard of quality and its dedication to serve you. GM newest products in the category of fans and innovation such as Excel 35, Odyssey, Embassy, CabiAir and more have a profound potential of fully augmenting your living experiences. I, therefore, insist on making the elite choice in technological innovations for your cherished homes and empower you to relish the luxury it concludes.


- Suniel Shetty



WHY GM FANS?

GM features a mélange of different products that transforms defined roles, and reformulates fans and innovation paradigms. At GM, a series of fans pertaining to discrete categories namely ceiling, pedestal, wall and table fans, cater to your convenience and refreshment needs. Their exclusive characteristics comprising ingenious design, visionary features and more, effortlessly suit various interior styles and distinct individual identities.

EXTRA SCREW FOR ADDED SAFETY

HEAVYDUTY CAPACITOR

PRE-LUBRICATED CLOSED TYPE DOUBLE BALL BEARING

ENERGY EFFICIENT POWERFUL MOTOR


WITH EXTRA COPPER






HOW TO SELECT A PERFECT CEILING FAN FOR YOU?

- 1 : Look for a GM fan that matches your home decor.
- 2 : Choose a dainty white GM fan with minimal design for your room to look spacious.
- 3 : Metallic trims of the GM fan perfectly suit glossy and polished interiors.
- 4 : GM designer fans compliment the spaces with classic or luxurious settings.
- 5 : For spaces of high maintenance, choose from the GM anti-dust fans.
- 6 : Opt for energy-efficient fans, if the usage is high.
- 7 : Choose a GM fan with silent operation for a peaceful ambience.



Things to consider while selecting a Ceiling Fan


How to select your fan?




Sweep Size is referred to the entire diameter of a fan.

Speed (RPM)	Air Delivery (CMM)
315	240 ✓

Higher RPM does not mean higher air flow. Air flow/Air delivery is the only point of comparison in selecting a ceiling fan.



More fan blades do not give better air flow. A four five blade ceiling fan provides a more conventional, balanced look, whereas a fan with two or three blades possesses a modern and sleek style.




For much more larger room, consider using two fans to balance the air circulation in all parts.

Sweep Size	Room Size
600mm (24")	Small shop, cabin or Powder Room
750mm (30")	06 x 10ft
900mm (36")	07 x 10ft
1050mm (42")	10 x 10ft
1200mm (48")	12 x 13ft
1300mm (52")	13 x 14ft
1400mm (56")	14 x 15ft

Optimal Height

For ceilings that are taller than nine feet, add 6" to the downrod for every foot of height.



Energy Efficiency

Lower electricity consumption means higher savings. The more the stars, better savings.





CONTEMPORARY LIVING DYNAMICS



90°
HORIZONTAL
OSCILLATION

AirMate
PEDESTAL FAN

www.gmmodular.com





TRULY
PERSONAL!



White-Black



Blue-Chrome



Brown-Chrome

WITH EXTRA
COPPER

HIGH
SPEED

ANTI DUST

ODYSSEY
PREMIER



TRULY PERSONAL,
TRULY MINE!

WITH EXTRA COPPER | ANTI DUST

- Powerful motor with high-grade copper
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

 **5 YEARS WARRANTY** |
  **HIGH SPEED** |
  **DOUBLE BALL BEARING** |
  **ENERGY EFFICIENT** |
  **LONG LASTING COAT**

ODYSSEY PREMIER

Tech. Specs.

Sweep 1200 mm	Wattage 75W	Speed 380 RPM	Air Delivery 230 CMM
------------------	----------------	------------------	-------------------------

STRIKING PATTERN



WITH EXTRA
COPPER

- Powerful motor with high-grade copper
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety Cable provided to prevent falling of ceiling fan



White-Copper

White-Chrome

Brown-Copper


POWERFUL MOTOR	DOUBLE BALL BEARING	25 MONTHS WARRANTY	ULTRA QUIET OPERATION	RUST PROOF BODY & BLADE
----------------	---------------------	--------------------	-----------------------	-------------------------

EMBASSY
CEILING FAN

Tech. Specs.			
Sweep 1250 mm	Wattage 75W	Speed 310 RPM	Air Delivery 240 CMM



A TRUE MARVEL



Brown Copper



White Wengy

WITH EXTRA
COPPER | HIGH
SPEED | ANTI DUST

ORISYS
CEILING FAN



A PIECE OF ART

WITH EXTRA COPPER | HIGH SPEED | ANTI DUST

- Powerful motor with high-grade copper
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

5 YEARS WARRANTY | DOUBLE BALL BEARING | ENERGY EFFICIENT | LONG LASTING COAT

ORISYS
CEILING FAN

Tech. Specs.

Sweep 1200 mm	Wattage 75W	Speed 385 RPM	Air Delivery 230 CMM
------------------	----------------	------------------	-------------------------



PURE BLISS!



Antique Brass

Antique Copper

Brush Steel

WITH EXTRA
COPPER

Lustre
CEILING FAN

OUTSTANDING
PERFORMANCE



WITH EXTRA
COPPER

- Powerful motor with high-grade copper
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

 HIGH SPEED	 DOUBLE BALL BEARING	 MONTHS WARRANTY	 ENERGY EFFICIENT
--	---	---	--

Lustre
CEILING FAN

Tech. Specs.

Sweep 1200 mm	Wattage 75W	Speed 375 RPM	Air Delivery 215 CMM
------------------	----------------	------------------	-------------------------



A PERSONAL COLLECTION



Antique Brass



Antique Copper



Brush Steel

Spencer
CEILING FAN

EXCEPTIONALLY
REFRESHING



WITH EXTRA
COPPER

- Powerful motor with high-grade copper
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

 HIGH SPEED	 DOUBLE BALL BEARING	 25 MONTHS WARRANTY	 ENERGY EFFICIENT
--	---	--	--

Spencer
CEILING FAN

Tech. Specs.

Sweep 1200 mm	Wattage 75W	Speed 375 RPM	Air Delivery 215 CMM
------------------	----------------	------------------	-------------------------



EXCEPTIONALLY REFRESHING

WITH EXTRA COPPER


- Powerful motor with high-grade copper
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

 HIGH SPEED	 DOUBLE BALL BEARING	 MONTHS WARRANTY	 ENERGY EFFICIENT
---	--	--	---



Spencer²⁴
CEILING FAN

Tech. Specs.			
Sweep 600 mm	Wattage 70W	Speed 850 RPM	Air Delivery 110 CMM



INTRODUCING BLDC MOTOR TECHNOLOGY

SUPER SILENT & ENERGY EFFICIENT

50%
SAVINGS
ON ELECTRICITY COST



'POINT ANYWHERE' RF REMOTE

- Works at any direction
- Multi-Pairing Remote Function
- Intelligent Memory Function
- Timer Function



The GM BLDC Fan Advantages

- Powerful BLDC motor
- Upto 50% energy savings
- 5 star performance
- High power factor 98% - super efficient performance
- Wide voltage range 90V - 300V
- Sleek RF based remote control
- Off timer (1, 2, 3 & 4 hrs)

HIGH AIR
DELIVERY
230AD



HIGH
SPEED

380
RPM

EXCEL 35
CEILING FAN **BLDC**



SUPERIOR AIR FLOW

- UPTO 50% ENERGY SAVINGS
- HIGH AIR DELIVERY 230AD
- HIGH SPEED
- 380 RPM
- POWERFUL MOTOR



POINT ANYWHERE RF REMOTE

- Powerful BLDC motor
- Upto 50% energy savings
- 5 star performance
- High power factor 98% - super efficient performance
- Wide voltage range 90V - 300V
- Sleek rf based remote control
- Off timer (1, 2, 3 & 4 hrs)



White

Ivory

Matt Brown

EXCEL 35
CEILING FAN **BLDC**

WIDE VOLTAGE RANGE 90V-300V

36 MONTHS WARRANTY

5 STAR PERFORMANCE

Tech. Specs.

Sweep 1200 mm	Wattage 38W	Speed 380 RPM	Air Delivery 230 CMM
------------------	----------------	------------------	-------------------------



EXTRA SCREW FOR ADDED SAFETY

HEAVYDUTY CAPACITOR

PRE-LUBRICATED CLOSED TYPE DOUBLE BALL BEARING

ENERGY EFFICIENT POWERFUL MOTOR

WITH EXTRA COPPER

WITH EXTRA COPPER | ANTI DUST

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED |
 DOUBLE BALL BEARING |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT



Ferrio CEILING FAN

Tech. Specs.			
Sweep	Wattage	Speed	Air Delivery
900 mm	60W	420 RPM	125 CMM
1200 mm	80W	380 RPM	220 CMM

STYLISH PATTERN



MIND-BLOWING
AIR DELIVERY

WITH EXTRA
COPPER | ANTI DUST

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED	DOUBLE BALL BEARING	25 MONTHS WARRANTY	ENERGY EFFICIENT



DESIGNER
SERIES

Ferrio
CEILING FAN

Tech. Specs.

Sweep 1200 mm	Wattage 80W	Speed 380 RPM	Air Delivery 220 CMM
------------------	----------------	------------------	-------------------------



SHEER POWER



White

Ivory

Brown

WITH EXTRA COPPER | HIGH SPEED | HIGH AIR DELIVERY


- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for high air delivery (255 CMM)
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED |
 DOUBLE BALL BEARING |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LONG LASTING COAT

tOrrent
CEILING FAN

Tech. Specs.			
Sweep 1250 mm	Wattage 70W	Speed 370 RPM	Air Delivery 255 CMM

WIDE SPREAD



WITH EXTRA COPPER | HIGH SPEED | HIGH AIR DELIVERY

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for high air delivery (255 CMM)
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED |
 DOUBLE BALL BEARING |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LONG LASTING COAT



Metallic Gold



Oreo Brown

tOrrent
metallic CEILING FAN

Tech. Specs.

Sweep 1250 mm	Wattage 70W	Speed 370 RPM	Air Delivery 255 CMM
------------------	----------------	------------------	-------------------------

PURE COPPER



Metallic Silver

Metallic Gold



Rose Gold

Oreo Brown

WITH EXTRA COPPER | HIGH SPEED

- Aerodynamically designed blades for superior air delivery
- Die cast aluminium motor covers and aluminium blades
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED

DOUBLE BALL BEARING

25 MONTHS WARRANTY


ENERGY EFFICIENT

Nexa
CEILING FAN

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
1200 mm	75W	380 RPM	220 CMM

SIMPLY REFRESHING



Pearl Ivory

Blazing Red



Midnight Blue

Rose Gold

WITH EXTRA COPPER | HIGH SPEED

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan



Airwave
PREMIUM CEILING FAN

Tech. Specs.

Sweep 1200 mm	Wattage 70W	Speed 380 RPM	Air Delivery 215 CMM
------------------	----------------	------------------	-------------------------



ELONGATED BLADES

WITH EXTRA COPPER | HIGH SPEED | HIGH AIR DELIVERY

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Wider tip blades for effective air circulation
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

 HIGH SPEED |
  DOUBLE BALL BEARING |
  MONTHS WARRANTY |
  ENERGY EFFICIENT |
  LONG LASTING COAT



G-storm
400 CEILING FAN

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
1200 mm	75W	400 RPM	240 CMM

REFRESHING VIBE



WITH EXTRA COPPER | HIGH SPEED

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for high air delivery (255 CMM)
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED	DOUBLE BALL BEARING	25 MONTHS WARRANTY	ENERGY EFFICIENT	LONG LASTING COAT
------------	---------------------	--------------------	------------------	-------------------


Air wave
CEILING FAN

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
1200 mm	75W	395 RPM	215 CMM
1400 mm	82W	290 RPM	245 CMM



OUTSTANDING PERFORMANCE



EXTRA SCREW FOR ADDED SAFETY

HEAVYDUTY CAPACITOR

PRE-LUBRICATED CLOSED TYPE DOUBLE BALL BEARING

ENERGY EFFICIENT POWERFUL MOTOR

WITH EXTRA COPPER

WITH EXTRA COPPER | HIGH SPEED | 400 RPM

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for high air delivery (255 CMM)
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED |
 DOUBLE BALL BEARING |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LONG LASTING COAT



White Ivory Brown

AIR9+ CEILING FAN

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
600 mm	68W	850 RPM	110 CMM
900 mm	62W	420 RPM	140 CMM
1200 mm	75W	400 RPM	210 CMM
1400 mm	72W	290 RPM	245 CMM

GRACEFUL EXTERIOR



WITH EXTRA COPPER | HIGH SPEED | 400 RPM

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for high air delivery (255 CMM)
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED |
 DOUBLE BALL BEARING |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LONG LASTING COAT

AIR9+DECO
CEILING FAN

Tech. Specs.			
Sweep 1200 mm	Wattage 75W	Speed 400 RPM	Air Delivery 210 CMM



SPECTACULAR DESIGN

WITH EXTRA COPPER | HIGH SPEED | 400 RPM

- Powerful motor with high-grade copper
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan



HIGH SPEED |
 DOUBLE BALL BEARING |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LONG LASTING COAT

G>Breeze
CEILING FAN

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
1200 mm	70W	400 RPM	210 CMM
1400 mm	82W	290 RPM	245 CMM



CONVEYING
FRESH AIR



White Ivory Brown

WITH EXTRA COPPER | HIGH SPEED | 400 RPM

- Powerful motor with high-grade copper
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED |
 DOUBLE BALL BEARING |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LONG LASTING COAT

GxBreeze
CEILING FAN **deco**

Tech. Specs.

Sweep 1200 mm	Wattage 70W	Speed 400 RPM	Air Delivery 210 CMM
------------------	----------------	------------------	-------------------------



SWIFT FUNCTIONING

WITH EXTRA COPPER | HIGH SPEED | 650 RPM

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for high air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan



White

Ivory

Brown

SONIC
650 CEILING FAN

HIGH SPEED |
 DOUBLE BALL BEARING |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LONG LASTING COAT

Tech. Specs.			
Sweep 900 mm	Wattage 70W	Speed 650 RPM	Air Delivery 160 CMM



DIE CAST ALUMINIUM

WITH EXTRA COPPER | HIGH SPEED

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED	DOUBLE BALL BEARING	25 MONTHS WARRANTY	ENERGY EFFICIENT	LONG LASTING COAT
------------	---------------------	--------------------	------------------	-------------------



Speedo
CEILING FAN **deco**

Tech. Specs.

Sweep 600 mm	Wattage 68W	Speed 850 RPM	Air Delivery 110 CMM
-----------------	----------------	------------------	-------------------------

PERFECTLY STYLISH

Ivory

Brown

White

WITH EXTRA
COPPER | HIGH
SPEED

- Powerful motor with high-grade copper
- Die cast aluminium motor covers and aluminium blades
- Aerodynamically designed blades for superior air delivery
- Pre-lubricated closed type double ball bearings
- Safety screw provided on shaft to prevent falling of ceiling fan

HIGH SPEED |
 DOUBLE BALL BEARING |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LONG LASTING COAT


Speedo
CEILING FAN

Tech. Specs.			
Sweep 600 mm	Wattage 68W	Speed 850 RPM	Air Delivery 110 CMM



FRESH'O
SERIES

VENTILATION AND EXHAUST FANS





FRESH SERIES

LOW NOISE



TOP THERMAL OVERLOAD PROTECTOR

- Powerful motor with CRNO stamping
- Elegant design with louvers suitable for domestic application
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting
- Inbuilt thermal overload protector for added safety
- Earthing provision for human safety

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LOW NOISE OPERATION

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
150 mm	29W	1320 RPM	300 CMH
200 mm	32W	1320 RPM	550 CMH
250 mm	36W	1200 RPM	750 CMH

ECOAIR
VENTILATING FAN



FRESH SERIES

SMOOTH AIR FLOW



TOP THERMAL OVERLOAD PROTECTOR | **HIGH SPEED**

- Powerful motor with CRNO stamping
- Elegant design with louvers suitable for domestic application
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting
- Inbuilt thermal overload protector for added safety
- Earthing provision for human safety

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT

Tech. Specs.


Sweep	Wattage	Speed	Air Delivery
150 mm	32W	2700 RPM	300 CMH
200 mm	49W	2345 RPM	798 CMH

ECOAIR HS
VENTILATING FAN



FRESH SERIES

FLAWLESS DESIGN



White

Ivory

Black

- Powerful motor with CRCA Stamping
- Elegant design with louvers suitable for domestic application
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting


The perfect size of **7x7" (for 150mm size) & 9x9" (for 200mm size) enclosure** is a universal fit, that takes away the tedious task of cutting/altering your duct for the ventilating fan to fit.

POWERFUL MOTOR	RUST PROOF BODY & BLADE	25 MONTHS WARRANTY	ENERGY EFFICIENT	LOW NOISE OPERATION
----------------	-------------------------	--------------------	------------------	---------------------

ECOAIR SP
VENTILATING FAN


Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
150 mm	25W	1300 RPM	275 CMH
200 mm	30W	1300 RPM	450 CMH



FRESH SERIES

ELEGANT FRONT



White

Wooden Finish

- Full plastic louver fan with grill
- Rustproof body and blade
- Elegant design and powerful motor
- Super silent and smooth-running
- Easy to install and clean

POWERFUL MOTOR	RUST PROOF BODY & BLADE	25 MONTHS WARRANTY	ENERGY EFFICIENT	LOW NOISE OPERATION
----------------	-------------------------	--------------------	------------------	---------------------

ECOAIR SECURE
VENTILATING FAN

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
200 mm	32W	1320 RPM	550 CMH

POWERFUL MOTOR



XENIX PLUS HS
VENTILATING FAN

FRESH SERIES

- Powerful motor with high-grade copper
- Powder coated finish
- Guard for protection from birds and foreign objects
- Sturdy metal body with metal blades
- High air thrust

POWERFUL MOTOR |
 HIGH SUCTION CAPACITY |
 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LOW NOISE OPERATION

XENIX
VENTILATING FAN

Tech. Specs. : XENIX

Sweep	Wattage	Speed	Air Delivery
150 mm	50W	2050 RPM	600 CMH
225 mm	45W	1380 RPM	550 CMH
300 mm	60W	1380 RPM	1200 CMH

Tech. Specs. : XENIX-PLUS HS

Sweep	Wattage	Speed	Air Delivery
225 mm	55W	2450 RPM	600 CMH

XENIX PRO
VENTILATING FAN



2 WAY SWITCH | REVERSIBLE AIRFLOW

XENIX 2 WAY
VENTILATING FAN

SUPERIOR FUNCTIONALITY

**FRESH
SERIES**

- Metallic finish
- Double ball bearing
- Powerful motor with high-grade copper
- Powder coated finish
- Guard for protection from birds and foreign objects
- Sturdy metal body with 4 metal blades
- High air thrust
- Earthing provision for human safety

POWERFUL MOTOR |
 HIGH SUCTION CAPACITY |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LOW NOISE OPERATION

XENIX PRO
VENTILATING FAN

XENIX 2 WAY
VENTILATING FAN

Tech. Specs. : XENIX PRO

Sweep	Wattage	Speed	Air Delivery
230 mm	45W	1400 RPM	550 CMH
300 mm	70W	1400 RPM	550 CMH

Tech. Specs. : XENIX - 2 WAY

Sweep	Wattage	Speed	Air Delivery
230 mm	75W	2300 RPM	600 CMH



SENSIBLE STYLE



- Powerful motor with high-grade copper
- Removable and screwless front for easy cleaning
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting

POWERFUL MOTOR	RUST PROOF BODY & BLADE	25 MONTHS WARRANTY	ENERGY EFFICIENT	LOW NOISE OPERATION
----------------	-------------------------	--------------------	------------------	---------------------

Afresh VENTILATING FAN

Tech. Specs.:

Sweep 150 mm	Wattage 25W	Speed 2550 RPM	Air Delivery 240 CMH
-----------------	----------------	-------------------	-------------------------



FRESH SERIES



FRESH SERIES

APPEALING EXTERIOR

HIGHLY EFFICIENT



White

Ivory

Brown

Black

- Powerful motor with high-grade copper
- Elegant front grill
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting



POWERFUL MOTOR



RUST PROOF BODY & BLADE



25 MONTHS WARRANTY



ENERGY EFFICIENT




LOW NOISE OPERATION

FRESHAIR VENTILATING FAN

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
100 mm	22W	2650 RPM	80 CMH
150 mm	25W	2250 RPM	240 CMH



White

Ivory

Black

- Powerful motor with high-grade copper
- Removable and screwless front for easy cleaning
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting



POWERFUL MOTOR



RUST PROOF BODY & BLADE



25 MONTHS WARRANTY



ENERGY EFFICIENT





LOW NOISE OPERATION

UNIAIR VENTILATING FAN

Tech. Specs.:

Sweep	Wattage	Speed	Air Delivery
150 mm	25W	2250 RPM	240 CMH



CONVENIENT
FORM

- Powerful motor with high-grade copper
- High suction capacity
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting

POWERFUL MOTOR	RUST PROOF BODY & BLADE	25 MONTHS WARRANTY	ENERGY EFFICIENT	LOW NOISE OPERATION
----------------	-------------------------	--------------------	------------------	---------------------

FLOAIR
VENTILATING FAN

Tech. Specs.			
Sweep 150 mm	Voltage 25W	Speed 2550 RPM	Air Delivery 240 CMH



NOISELESS OPERATION
IMPECABLE FUNCTIONALITY



White



Ivory

- Powerful motor with high-grade copper
- Elegant front grill
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LOW NOISE OPERATION

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
150 mm	17W	1750 RPM	138 CMH
200 mm	17W	1600 RPM	140 CMH

Aero
VENTILATING FAN



White



Ivory

- Powerful motor with high-grade copper
- Elegant front grill
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting
- Inbuilt thermal fuse

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 NOISELESS OPERATION

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
100 mm	12W	2300 RPM	108 CMH
150 mm	20W	1650 RPM	150 CMH

Fresho
VENTILATING FAN



AUTOMATIC SHUTTER

- Powerful motor with high-grade copper
- Elegant front grill
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting
- Inbuilt thermal fuse

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 NOISELESS OPERATION



White



Ivory

Fluro
VENTILATING FAN

Tech. Specs.

Sweep 150 mm	Wattage 18W	Speed 1400 RPM	Air Delivery 160 CMH
-----------------	----------------	-------------------	-------------------------



EXTRUDING CLASS

- Powerful motor with high-grade copper
- Elegant front grill
- Super silent and smooth-running
- Rustproof body and blade
- Suitable for wall and glass mounting
- Inbuilt thermal fuse

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 NOISELESS OPERATION



White



Ivory

Ventilo
VENTILATING FAN

Tech. Specs.

Sweep 150 mm	Wattage 17W	Speed 1750 RPM	Air Delivery 132 CMH
-----------------	----------------	-------------------	-------------------------



CONVENIENT
SIZE



Ivory

Steel Finish



- 100% pure copper winding motor
- Removable and screwless front for easy cleaning
- Quiet and longer durability
- Rustproof body and blade
- Suitable for wall and glass mounting
- Inbuilt thermal fuse



POWERFUL MOTOR	RUST PROOF BODY & BLADE	25 MONTHS WARRANTY	ENERGY EFFICIENT	NOISELESS OPERATION
----------------	-------------------------	--------------------	------------------	---------------------


Afresh'o VENTILATING FAN

Tech. Specs.:

Sweep	Wattage	Speed	Air Delivery
150 mm	25W	1800 RPM	150 CMH



P E D E S T A L F A N S



REFRESHING STYLE



reddot
design award winner

In a league of its own chasing excellence, GM's Zephyr pedestal fan is certainly a memento of a great design.




BLDC
MOTOR
CONSUMES
ONLY 20W



IR REMOTE

- Award winning design
- 12 speed control
- Max 20W power consumption
- Transparent anti-rust blades
- Sleek controls
- Off Timer function
- 3 Modes (Normal/Natural/Sleep)

Zephyr

PEDESTAL FAN

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
300 mm	20W	1100 RPM	24 CMM



 120° OSCILLATION |
  SLEEK IR REMOTE |
  25 MONTHS WARRANTY |
  ENERGY EFFICIENT BLDC MOTOR |
  QUIET OPERATION

360°


OSCILLATION



ENHANCING AMBIENCE



White



Black




IR REMOTE

MAESTRO 360° PEDESTAL FAN

- Variable oscillation angle from 60°, 90°, 180° & 360°
- Vertical adjustable angle of oscillation
- 3 modes of operation: normal, natural & sleep
- Sleek IR based remote control
- Off timer (1, 2, 3, & 8 hrs)
- Large & bright LED display

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
400 mm	65W	1200 RPM	60 CMM



COMPLIMENTING SPACES



MystiQue

PEDESTAL FAN

- DC motor, silent working
- Wider angle air flow supply with internal oscillation orbit design
- Faster air delivery, longer air flow
- 24 speed levels
- 12 Hour programmed timer
- Power-off memory function
- LED display, easy to check speed level
- 2-in-1 function: stand and table fan

Tech. Specs.

Sweep 400 mm	Wattage 33W	Speed 900 RPM	Air Delivery 70 CMM
-----------------	----------------	------------------	------------------------

POWERFUL MOTOR	HIGH AIR DELIVERY	25 MONTHS WARRANTY	ENERGY EFFICIENT	NOISELESS OPERATION
----------------	-------------------	--------------------	------------------	---------------------



COMPLIMENTING INTERIOR



IR REMOTE



AirMate PEDESTAL FAN



- AC motor, silent working
- Wider angle air flow with 90 horizontal oscillation
- 3 speed levels
- 8 hours programmed timer
- Power-off memory function
- LED display, easy to check speed level
- Touch buttons

Tech. Specs.

Sweep 230 mm	Wattage 45W	Speed 1800 RPM	Air Delivery 70 CMM
-----------------	----------------	-------------------	------------------------

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 NOISELESS OPERATION



STUNNING APPEARANCE

Livo PLUS
PEDESTAL FAN


TOP THERMAL OVERLOAD PROTECTOR

- Powerful motor with high-grade copper
- Super silent and smooth oscillation
- Rustproof body and blade
- Elegant design
- Wider base for better stability
- Inbuilt thermal overload protector for added safety

Tech. Specs.

Sweep 400 mm	Wattage 60W	Speed 1330 RPM	Air Delivery 73 CMM
-----------------	----------------	-------------------	------------------------

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 NOISELESS OPERATION



White

Blue

Burgundy

Livo SP
PEDESTAL FAN

TOP THERMAL OVERLOAD PROTECTOR


- Powerful motor with high-grade copper
- Super silent and smooth oscillation
- Rustproof body and blade
- Elegant design
- Wider base for better stability
- Inbuilt thermal overload protector for added safety

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
400 mm	55W	1300 RPM	75 CMM

POWERFUL MOTOR	RUST PROOF BODY & BLADE	25 MONTHS WARRANTY	ENERGY EFFICIENT	NOISELESS OPERATION
----------------	-------------------------	--------------------	------------------	---------------------

PURE
IN FRESHNESS



SILENT
FUNCTIONING

bolt PEDESTAL FAN | **TOP** THERMAL OVERLOAD PROTECTOR | **HIGH SPEED**

- Powerful motor with high-grade copper
- Super silent and smooth oscillation
- Rustproof body and blade
- Elegant design
- Wider base for better stability
- Inbuilt thermal overload protector for added safety

Tech. Specs.

Sweep 400 mm	Wattage 130W	Speed 2300 RPM	Air Delivery 90 CMM
-----------------	-----------------	-------------------	------------------------

POWERFUL MOTOR	RUST PROOF BODY & BLADE	25 MONTHS WARRANTY	ENERGY EFFICIENT
----------------	-------------------------	---------------------------	------------------



SLEEK
STRUCTURE

AirBURST | HIGH SPEED
PREMIUM PEDESTAL FAN

- High quality motor with copper enameled wire
- Safety mesh with elegant appearance
- Unique fan blade design, optimized by CAD, low DB & soft wind
- New base & good connection with fan blade for better stability
- 4 speed control, rotation angle 90°, adjustable inclination
- Better connection
- Heavy base for extra strength
- Suitable for household, office, hotel, shopping mall etc.

Tech. Specs.


Sweep 450 mm	Wattage 120W	Speed 1400 RPM	Air Delivery 113 CMM
-----------------	-----------------	-------------------	-------------------------

POWERFUL MOTOR

RUST PROOF BODY & BLADE

25 MONTHS WARRANTY

ENERGY EFFICIENT



ELEGANT
DESIGN


AirBURST PEDESTAL FAN

- Easy to assemble
- 3 speed regulation
- Child safety guard
- Wider base for better stability
- Heavy duty motor
- Smooth oscillation
- Aerodynamically designed blades
- Elegant exterior

Tech. Specs.

Sweep 450 mm	Wattage 90W	Speed 1350 RPM	Air Delivery 80 CMM
-----------------	----------------	-------------------	------------------------

POWERFUL MOTOR |
 HIGH AIR DELIVERY |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 LOW NOISE OPERATION



White



Black

Airmark

PEDESTAL FAN

- Powerful motor
- Full metal body & blade
- Adjustable height
- Easy to assemble
- Elegant looks
- Strong streamlined pedestal for greater stability
- Three speed control mounted on the column within easy reach

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
450 mm	100W	1400 RPM	60 CMM

POWERFUL MOTOR	HIGH AIR DELIVERY	WIDE ANGLE WIND	12 MONTHS WARRANTY	ENERGY EFFICIENT	LOW NOISE OPERATION	HEIGHT ADJUSTMENT
----------------	-------------------	-----------------	--------------------	------------------	---------------------	-------------------

DYNAMIC APPEARANCE



ENHANCING INTERIORS

Tempest

FARRATA | PEDESTAL FAN

- Heavy duty capacitor motor for better energy efficiency
- 3 well balanced aerodynamically designed broad metal blades for excellent & minimum noise
- Heavy and large base with sturdy construction for better stability
- Vibration-free operation
- Telescopic height adjustment
- 3 speed rotary switch control
- 2 tone powder coated finish for 100% resistance to corrosion and higher durability
- Close mesh guard for safety, with matching guard ring for aesthetic look

Tech. Specs.



Sweep	Wattage	Speed	Air Delivery
500 mm	150W	1400 RPM	90 CMM

POWERFUL MOTOR

HIGH AIR DELIVERY

12 MONTHS WARRANTY

ENERGY EFFICIENT



AirBlast

PEDESTAL FAN

HIGH SPEED

- Powerful motor with high-grade copper
- 3 speed option
- High-speed
- Wider base for better stability
- Smooth oscillation

Tech. Specs.

Sweep 400 mm	Wattage 120W	Speed 2300 RPM	Air Delivery 105 CMM
-----------------	-----------------	-------------------	-------------------------



POWERFUL MOTOR

RUST PROOF BODY & BLADE


12 MONTHS WARRANTY

ENERGY EFFICIENT

RICH DESIGN



W A L L F A N S



RATING AIR



Burgundy



Yellow



White



Fluorescent Blue



Blue



Grey

LivO PLUS
WALL FAN


TOP THERMAL OVERLOAD PROTECTOR

- Powerful motor with high-grade copper
- Super silent and smooth oscillation
- Rustproof body and blade
- Elegant design
- Pull-cord mechanism for oscillation & speed
- Inbuilt thermal overload protector for added safety


Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
400 mm	60W	1330 RPM	73 CMM

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 NOISELESS OPERATION



FEASIBLE
INSTALLATION



Livo SP
WALL FAN


TOP THERMAL
OVERLOAD
PROTECTOR

- Powerful motor with high-grade copper
- Super silent and smooth oscillation
- Rustproof body and blade
- Elegant design
- Pull-cord mechanism for oscillation & speed
- Inbuilt thermal overload protector for added safety


Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
400 mm	55W	1300 RPM	75 CMM

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 NOISELESS OPERATION



MODERN FUNCTIONALITY



bolt
WALL FAN

TOP THERMAL
OVERLOAD
PROTECTOR

**HIGH
SPEED**

- Powerful motor with high-grade copper
- Smooth oscillation
- Rustproof body and blade
- Elegant design
- Pull-cord mechanism for oscillation & speed
- Inbuilt thermal overload protector for added safety

Tech. Specs.


Sweep	Wattage	Speed	Air Delivery
300 mm	130W	2100 RPM	90 CMM
400 mm	88W	2300 RPM	57 CMM

**POWERFUL
MOTOR**

**RUST PROOF
BODY & BLADE**

25
**MONTHS
WARRANTY**


**ENERGY
EFFICIENT**



T A B L E F A N S



VIBRANT DESIGN



LivO PLUS
TABLE FAN

TOP THERMAL OVERLOAD PROTECTOR


- Powerful motor with high-grade copper
- Super silent and smooth oscillation
- Rustproof body and blade
- Elegant design
- Inbuilt thermal overload protector for added safety

Sweep 400 mm	Wattage 60W	Speed 1330 RPM	Air Delivery 73 CMM
-----------------	----------------	-------------------	------------------------

POWERFUL MOTOR	RUST PROOF BODY & BLADE	25 MONTHS WARRANTY	ENERGY EFFICIENT	NOISELESS OPERATION



DELIVERING
CONVENIENCE



Burgundy

Blue



LivO SP
TABLE FAN

TOP THERMAL
OVERLOAD
PROTECTOR

- Powerful motor with high-grade copper
- Super silent and smooth oscillation
- Rustproof body and blade
- Elegant design
- Inbuilt thermal overload protector for added safety

Tech. Specs.


Sweep	Wattage	Speed	Air Delivery
400 mm	55W	1300 RPM	75 CMM

25

POWERFUL MOTOR | **RUST PROOF BODY & BLADE** | **MONTHS WARRANTY** | **ENERGY EFFICIENT** | **NOISELESS OPERATION**




IMPRESSIVE
EXTERIOR



Burgundy

Blue

White



bolt TABLE FAN | **TOP** THERMAL OVERLOAD PROTECTOR | **HIGH SPEED**

- Powerful motor with high-grade copper
- High-speed
- Smooth oscillation
- Rustproof body and blade
- Elegant design
- Inbuilt thermal overload protector for added safety

Tech. Specs.

Sweep 400 mm	Wattage 130W	Speed 2300 RPM	Air Delivery 90 CMM
-----------------	-----------------	-------------------	------------------------

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 NOISELESS OPERATION



PERSONAL FANS



White

CONSISTENT PERFORMANCE

CabiAir
CABIN FAN

**HIGH
SPEED**

TOP THERMAL
OVERLOAD
PROTECTOR

- Powerful motor with high-grade copper
- High-speed motor
- Rotating grill
- Wider air spread
- Rustproof body and blade
- Elegant design
- Inbuilt thermal overload protector for added safety

Tech. Specs.

Sweep 300 mm	Wattage 85W	Speed 2200 RPM	Air Delivery 60 CMM
-----------------	----------------	-------------------	------------------------

**POWERFUL
MOTOR**

**RUST PROOF
BODY & BLADE**

25
**MONTHS
WARRANTY**

**ENERGY
EFFICIENT**



EXCELLENT
COMFORT

Table Fan



Wall Fan



Red

Blue

Black Yellow

blizzard MULTIPURPOSE FAN

HIGH SPEED

TOP THERMAL OVERLOAD PROTECTOR

- Powerful motor with high-grade copper
- High-speed
- Smooth oscillation
- Rustproof body and blade
- Elegant design
- Inbuilt thermal overload protector for added safety

Tech. Specs.

Sweep 230 mm	Wattage 46W	Speed 2600 RPM	Air Delivery 25 CMM
-----------------	----------------	-------------------	------------------------

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 25 MONTHS WARRANTY |
 ENERGY EFFICIENT |
 NOISELESS OPERATION



INHALE
FRESHNESS



- 
5
 HRS NONSTOP
 OPERATION
- 
**RECHARGEABLE
 LI-ION BATTERY**
- 
**ADJUSTABLE
 WIND ANGLE**
- 
**DC 5V
 INPUT**

HANDY
AIR
 PERSONAL FAN

**HIGH
 SPEED**
TOP THERMAL
 OVERLOAD
 PROTECTOR

- USB mini foldable fan
- 3.7v rechargeable 2000mAh Li-ion battery
- Recharge input: DC 5V
- Charging time: approx 5 hours
- Fan working time: 2hrs/high, 3hrs/mid, 5hrs/low
- With USB cable

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
150 mm	DC 5W	2700 RPM	23 CMM

- 
**POWERFUL
MOTOR**
- 
**RUST PROOF
BODY & BLADE**
- 
**MONTHS
WARRANTY**
- 
**ENERGY
EFFICIENT**
- 
**NOISELESS
OPERATION**



EASY MOBILIZATION



FOLDABLE & EASY TO CARRY DESIGN



AIR MOBILE
MINI TABLE FAN

HIGH SPEED
TOP THERMAL OVERLOAD PROTECTOR

- USB rechargeable mini table fan
- 3.7v rechargeable
- 4000mAh Li-ion battery
- Recharge input: DC 5V
- Recharging time: approx 5 hours
- Fan working time: 4 hrs/high speed, 15 hrs/low speed
- With USB cable
- Detachable front guard for easy cleaning
- Dimension: 187x170.5x279 mm

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
150 mm	DC 5V	2500 RPM	24 CMM

POWERFUL MOTOR |
 RUST PROOF BODY & BLADE |
 12 MONTHS WARRANTY |
 ENERGY EFFICIENT



FOLDABLE
EASY TO CARRY



Air

PERSONAL FAN

- USB rechargeable Personal fan
- 3.7v rechargeable
- 3600mAh Li-ion battery
- Discharge power: 1.2~5W
- Recharge input: DC 5V/2A
- Recharging time: approx 3.5 hours
- Fan working time: 2-12 hours
- Detachable front guard for easy cleaning
- Dimension: 197x197x93 mm (Folded)

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
150 mm	DC 5V	1900 RPM	23 CMM

4
FOUR SPEED
OPERATION

**POWERFUL
MOTOR**

**DC 5V
INPUT**

**ADJUSTABLE
HEIGHT**

**RUST PROOF
BODY & BLADE**

12
MONTHS
WARRANTY

**ENERGY
EFFICIENT**

Air 180


PERSONAL FAN

180°
CONTINUOUS
OSCILLATION


- USB rechargeable personal fan with LED Indicator
- 3.7v rechargeable
- 5400mAh Li-ion battery
- Discharge power: 1.2~5W
- Recharge input: DC 5V/2A
- Recharging time: approx 5.5 hours
- Fan working time: 4-18 hours
- Detachable front guard for easy cleaning
- Dimension: 187x170.5x279 mm

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
150 mm	DC 5V	1900 RPM	23 CMM



INDUSTRIAL FANS



STURDY
DESIGN



Dynamite

AIR CIRCULATOR



- Robust design with sturdy guards
- Heavy base for greater stability
- Adjustable height
- Energy efficient heavy duty motor with high air delivery
- Double ball bearings
- Duly balanced blades
- Corrosion resistant powder coated guards
- Attractive aesthetics to suit both indoor & outdoor needs
- Optional regulator

Tech. Specs. (For Pedestal & Wall)

Sweep	Wattage	Speed	Air Delivery
750 mm	150W	1400 RPM	22200 CMH
600 mm	150W	1400 RPM	16000 CMH
450 mm	150W	1400 RPM	7500 CMH





ROBUST
DESIGN



Gold Black

WITH BALL BEARING

XENIX HEAVY DUTY
EXHAUST FAN

ENERGY EFFICIENT
POWERFUL MOTOR

- Metallic finish
- Double ball bearing
- Energy efficient powerful motor with high-grade copper
- Powder coated finish
- Sturdy metal body with 4 metal blades
- High air thrust
- Earthing provision for human safety

Tech. Specs.

Sweep	Wattage	Speed	Air Delivery
600 mm	460W	920 RPM	9400 CMH
450 mm	250W	1350 RPM	3900 CMH
380 mm	150W	1400 RPM	2000 CMH
300 mm	55W	1400 RPM	1145 CMH

POWERFUL MOTOR

HIGH SUCTION CAPACITY

12 MONTHS WARRANTY

ENERGY EFFICIENT



TECHNICAL SPECIFICATIONS



MODEL NAME	SWEEP (IN MM)	WATTAGE (WATTS)	SPEED (IN RPM)	AIR DELIVERY (IN CU MTR/MIN)
------------	---------------	-----------------	----------------	------------------------------


CEILING FANS

ODYSSEY	1200 mm	75	230	380
ORISYS	1200 mm	75	230	385
EMBASSY	1250 mm	75	240	310
EXCEL 35 BLDC	1200 mm	38	230	380
Lustre	1200 mm	75	375	215
Spencer	1200 mm	75	375	215
Spencer 24	600 mm	70	850	210
Ferrio	1200 mm	80	380	220
Ferrio	900 mm	60	420	125
Ferrio Designer Series	1200 mm	80	380	220
Nexa	1200 mm	75	380	220
Airwave Premium	1200 mm	70	380	215
G-Storm 400	1200 mm	75	400	240
Torrent	1250 mm	70	370	255
G Air	1200 mm	75	380	230
G Air	1400 mm	80	280	270
Airwave	1200 mm	75	395	215
Airwave	1400 mm	82	290	245
G-Breeze	1200 mm	70	400	210
G-Breeze	1400 mm	82	290	245
G-Breeze Deco	1200 mm	82	400	210
Speedo	600 mm	68	850	110
Speedo Deco	600 mm	68	850	110
AIR9+	600 mm	68	850	110
AIR9+	900 mm	62	420	140
AIR9+	1200 mm	75	400	210
AIR9+	1400 mm	72	290	245
AIR9+ Deco	1200 mm	75	400	210
SONIC 650	900 mm	70	650	150

MODEL NAME	SWEEP (IN MM)	WATTAGE (WATTS)	SPEED (IN RPM)	AIR DELIVERY (IN CU MTR/HOUR)
------------	---------------	-----------------	----------------	-------------------------------

VENTILATION/EXHAUST FANS

Eco Air	150 mm	29	1320	300
Eco Air	200 mm	32	1320	550
Eco Air	250 mm	36	1200	750
Eco Air HS	150 mm	32	2700	431
Eco Air HS	200 mm	49	2345	798
Eco Air SP	150 mm	25	1300	275
Eco Air SP	200 mm	30	1300	450
Eco Air Secure	200 mm	32	1320	550
Xenix HS	150 mm	52	2100	600
Xenix	225 mm	45	1380	550
Xenix	300 mm	60	1380	1200
Xenix Plus HS	225 mm	55	2450	600
Xenix 2 Way	230 mm	75	2300	600
Xenix Pro	230 mm	45	1400	550
Xenix Pro	300 mm	70	1400	1400



MODEL NAME	SWEEP (IN MM)	WATTAGE (WATTS)	SPEED (IN RPM)	AIR DELIVERY (IN CU MTR/HOUR)
------------	---------------	-----------------	----------------	-------------------------------

VENTILATION/EXHAUST FANS

Fresh Air	100 mm	22	2650	80
Fresh Air	150 mm	25	2250	240
Afresh	150 mm	25	2250	240
Uniair	150 mm	25	2250	240
Flo Air	150 mm	25	2250	240
Aero	150 mm	17	1750	138
Aero	150 mm	17	1600	140
Fresho	100 mm	12	2300	108
Fresho	150 mm	20	1650	150
Fluro	150 mm	18	1400	160
Ventilo	150 mm	17	1750	132
Afresho	150 mm	25	1800	150

MODEL NAME	SWEEP (IN MM)	WATTAGE (WATTS)	SPEED (IN RPM)	AIR DELIVERY (IN CU MTR/MIN)
------------	---------------	-----------------	----------------	------------------------------

PEDESTAL/WALL/TABLE FANS

Zephyr Pedestal Fan	300 mm	20	1100	24
Maestro 360° Pedestal Fan	400 mm	65	1200	60
Mystique Pedestal Fan	400 mm	33	900	70
AirMate Pedestal Fan	230 mm	45	1800	60
AirMark Pedestal Fan	450 mm	100	1400	60
Livo Pedestal Fan	400 mm	60	1325	75
Livo Plus Pedestal Fan	400 mm	60	1330	73
Livo SP Pedestal Fan	400 mm	55	1300	75
Bolt Pedestal Fan	400 mm	130	2050	90
AirBurst Premium Pedestal Fan	450 mm	120	1400	113
AirBurst Pedestal Fan	450 mm	90	1350	80
Tempest Farrata Pedestal Fan	500 mm	150	1400	90
AirBlast Pedestal Fan	400 mm	120	2300	105
Livo Wall Fan	400 mm	60	1325	75
Livo Plus Wall Fan	400 mm	60	1330	73
Livo SP Wall Fan	400 mm	55	1300	75
Bolt Wall Fan	300 mm	130	2055	90
Bolt Wall Fan	400 mm	88	2200	57
Livo Table Fan	400 mm	60	1325	75
Livo Plus Table Fan	400 mm	60	1330	73
Livo SP Table Fan	400 mm	55	1300	75
Bolt Table Fan	400 mm	130	2050	90

TECHNICAL SPECIFICATIONS

MODEL NAME	SWEEP (IN MM)	WATTAGE (WATTS)	SPEED (IN RPM)	AIR DELIVERY (IN CU MTR/MIN)
MULTIPURPOSE FANS				
Blizzard Multipurpose Fan	230	46	2600	25
Handy Air	150	DC 5V	2700	23
Air Mobile	150	DC 5V	2500	24
CabiAir	300	85	2200	60
Air	150	DC 5V	1900	24
Air 180	150	DC 5V	1900	24

MODEL NAME	SWEEP (IN MM)	WATTAGE (WATTS)	SPEED (IN RPM)	AIR DELIVERY (IN CU MTR/HR)
INDUSTRIAL FANS				
Dynamite (Pedestal & Wall)	750	150	1400	22200
	600	150	1400	16000
	450	150	1400	7500
Xenix Heavy Duty Exhaust	600	460	920	9400
	450	250	1350	3900
	380	150	1400	2000
	300	55	1400	1145



Delivering
good
air

www.gmmodular.com



CEILING FANS | EXHAUST FANS | VENTILATION FANS | TABLE FANS | PEDESTAL FANS | WALL FANS | PERSONAL FANS



SWITCH TO A BETTER WORLD

Our
exclusive
experience
centres


SWITCH TO A BETTER WORLD
SWITCHES & HOME AUTOMATION

LIVE THE EXPERIENCE YOU DREAM ABOUT

GOOD IDEAS FOR A BETTER LIVING



SWITCH TO A BETTER WORLD



MINIMAL
DESIGN
MAXIMUM
PERFORMANCE



Authorised Exporters

KARMA EXPORTS

50, Maddox Street, Near Veterinary College,
Vepery, Chennai - 600 007, South India.

e mail : info@karmaexports.in

Tel : +91 44 2661 0819

Call : +91 97908 40995, +91 7708370525, +91 86759 99222

web : www.karmaexports.in